

L Number	Hits	Search Text	DB	Time stamp
1	4	("5681476") or ("50585500").PN.	USPAT; EPO; JPO; DERWENT	2003/05/14 13:56
-	11944	((427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.	USPAT; EPO; JPO; DERWENT	2003/05/14 13:56
-	3337	((430/300) or (430/302)).CCLS.	USPAT; EPO; JPO; DERWENT	2003/05/12 08:13
-	1266	((101/456) or (101/459) or (101/463.1)).CCLS.	USPAT; EPO; JPO; DERWENT	2003/05/12 08:14
-	433	((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.	USPAT; EPO; JPO; DERWENT	2003/05/12 08:14
-	267	((((427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) ((430/300) or (430/302)).CCLS.) ((101/456) or (101/459) or (101/463.1)).CCLS.) ((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.) and (lithographic planographic (printing near3 plate)) and photo1sensitive and (dry33 dri33) same heat33)	USPAT; EPO; JPO; DERWENT	2003/05/12 09:00
-	439	((((427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) ((430/300) or (430/302)).CCLS.) ((101/456) or (101/459) or (101/463.1)).CCLS.) ((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.) and (lithographic planographic (printing near3 plate)) and photo1sensitive and ("dry-to-touch" dry dried drying dries) and (heat heats heated heating)	USPAT; EPO; JPO; DERWENT	2003/05/12 09:01
-	0	((((427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) ((430/300) or (430/302)).CCLS.) ((101/456) or (101/459) or (101/463.1)).CCLS.) ((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.) and (lithographic planographic (printing near3 plate)) and photo1sensitive and ("dry-to-touch") and (heat heats heated heating)	USPAT; EPO; JPO; DERWENT	2003/05/12 09:01
-	185	((((427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) ((430/302)).CCLS.) ((101/456) or (101/459) or (101/463.1)).CCLS.) ((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.) and (lithographic planographic (printing near3 plate)) and photo1sensitive and ("dry-to-touch" tacky adhere) and (heat heats heated heating)	USPAT; EPO; JPO; DERWENT	2003/05/12 09:04

-	9	(( (427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) ((430/300) or (430/302)).CCLS.) ((101/456) or (101/459) or (101/463.1)).CCLS.) ((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.) and (lithographic planographic (printing near3 plate)) and photo\$lsensitive and ((dry dried drying dries) with (tacky touch adhere finger adherent)) and ((heat heated heating heats) same ((first and second) (lower and higher) (greater and lesser) change changed changes changing vary varied varying varies))	USPAT; EPO; JPO; DERWENT	2003/05/12 09:17
-	71	(lithographic planographic (printing near3 plate)) and photo\$lsensitive and ((dry dried drying dries) with (tacky touch adhere finger adherent)) and ((heat heated heating heats) same ((first and second) (lower and higher) (greater and lesser) change changed changes changing vary varied varying varies))	USPAT; EPO; JPO; DERWENT	2003/05/12 10:09
-	62	((lithographic planographic (printing near3 plate)) and photo\$lsensitive and ((dry dried drying dries) with (tacky touch adhere finger adherent)) and ((heat heated heating heats) same ((first and second) (lower and higher) (greater and lesser) change changed changes changing vary varied varying varies)) not ((( (427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) ((430/300) or (430/302)).CCLS.) ((101/456) or (101/459) or (101/463.1)).CCLS.) ((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.) and (lithographic planographic (printing near3 plate)) and photo\$lsensitive and ((dry dried drying dries) with (tacky touch adhere finger adherent)) and ((heat heated heating heats) same ((first and second) (lower and higher) (greater and lesser) change changed changes changing vary varied varying varies)))	USPAT; EPO; JPO; DERWENT	2003/05/12 09:35
-	1	2002-189593.NRAM.	DERWENT	2003/05/12 09:19
-	1	("5077912").PN.	USPAT	2003/05/12 09:35
-	6	("2270038"   "3281952"   "3877418"   "4567673"   "4894927"   "4926567").PN.	USPAT	2003/05/12 09:35
-	6	5077912.URPN.	USPAT	2003/05/12 09:35
-	3327	(lithographic planographic off\$1set (printing near3 plate)) and photo\$lsensitive and set and (heat heated heating heats)	USPAT; EPO; JPO; DERWENT	2003/05/12 10:14
-	3327	(lithographic planographic off\$1set (printing near3 plate)) and photo\$lsensitive and set and (heat heated heating heats)	USPAT; EPO; JPO; DERWENT	2003/05/12 10:15
-	854	(lithographic planographic off\$1set (printing near3 plate)) and photo\$lsensitive and (set same (heat heated heating))	USPAT; EPO; JPO; DERWENT	2003/05/12 10:16
-	61	((lithographic planographic off\$1set (printing near3 plate)) and photo\$lsensitive and (set same (heat heated heating)) ) and ((( (427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) ((430/300) or (430/302)).CCLS.) ((101/456) or (101/459) or (101/463.1)).CCLS.) ((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.))	USPAT; EPO; JPO; DERWENT	2003/05/12 11:51

[illegible]

-	2500	((thickness width) with (substrate support backing)) and (((heated hot) near3 air) with (dry drying dries dried))	USPAT; EPO; JPO; DERWENT	2003/05/12 11:54
-	265	((thickness width) with (substrate support backing)) same (((heated hot) near3 air) with (dry drying dries dried))	USPAT; EPO; JPO; DERWENT	2003/05/12 12:40
-	12	((thickness width) with (substrate support backing)) same (((heated hot) near3 air) with (dry drying dries dried)) and (((427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) (((430/300) or (430/302)).CCLS.) (((101/456) or (101/459) or (101/463.1)).CCLS.) (((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.))	USPAT; EPO; JPO; DERWENT	2003/05/12 11:55
-	253	((thickness width) with (substrate support backing)) same (((heated hot) near3 air) with (dry drying dries dried)) not (((thickness width) with (substrate support backing)) same (((heated hot) near3 air) with (dry drying dries dried))) and (((427/372.2) or (427/374.1) or (427/374.3) or (427/384) or (427/377) or (427/379) or (427/385.5) or (427/388.1) or (427/398.1) or (427/398.5) or (427/407.1) or (427/409) or (427/300) or (427/302)).CCLS.) (((430/300) or (430/302)).CCLS.) (((101/456) or (101/459) or (101/463.1)).CCLS.) (((34/418) or (34/419) or (34/420) or (34/421) or (34/422) or (34/423) or (34/427)).CCLS.))	USPAT; EPO; JPO; DERWENT	2003/05/12 11:59
-	178	((thickness width) with (substrate support backing)) same (((heated hot) near3 air) with (dry drying dries dried))	USOCR	2003/05/12 12:48
-	856	((thickness width) with (substrate support backing) with (vary varied varying varies change changing changes different differing)) same (dry dries drying dried)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO	2003/05/12 12:51
-	710	((thickness width) with (substrate support backing) with (vary varied varying varies change changing changes different differing)) same (dry dries drying dried)	USPAT; EPO; JPO	2003/05/12 12:53
-	11	((thickness width) with (substrate support backing) with (vary varied varying varies change changing changes different differing)) same (dry dries drying dried) same ((hot heated) near3 air)	USPAT; EPO; JPO	2003/05/12 12:59
-	699	((thickness width) with (substrate support backing) with (vary varied varying varies change changing changes different differing)) same (dry dries drying dried) same ((hot heated) near3 air)	USPAT; EPO; JPO	2003/05/12 12:59
-	7855	((430/300) or (430/302) or (430/269) or (430/270.1) or (430/964) or (430/944) or (430/278.1) or (430/204)).CCLS.	USPAT; EPO; JPO; DERWENT	2003/05/12 14:06
-	2553	((430/300) or (430/302) or (430/269) or (430/270.1) or (430/964) or (430/944) or (430/278.1) or (430/204)).CCLS.) and ((lithographic planographic (off\$1set)) near3 plate)	USPAT; EPO; JPO; DERWENT	2003/05/12 14:07
-	87	((430/300) or (430/302) or (430/269) or (430/270.1) or (430/964) or (430/944) or (430/278.1) or (430/204)).CCLS.) and ((lithographic planographic (off\$1set)) near3 plate)) and (dry dries dried drying) and ((heat heats heating heated) near3 (cure cured curing))	USPAT; EPO; JPO; DERWENT	2003/05/12 14:54

-	23	((((430/300) or (430/302) or (430/269) or (430/270.1) or (430/964) or (430/944) or (430/278.1) or (430/204)).CCLs.) and ((lithographic planographic (off\$iset) near3 plate) and ((dry dries dried drying) same (heat heats heating heated) near3 (cure cured curing)))	USPAT; EPO; JPO; DERWENT	2003/05/13 07:26
-	18	((((430/300) or (430/302) or (430/269) or (430/270.1) or (430/964) or (430/944) or (430/278.1) or (430/204)).CCLs.) and ((lithographic planographic (off\$iset) near3 plate) and ((dry dries dried drying) same (heat heats heating heated) near3 (cure cured curing))) and photosensitive	USPAT; EPO; JPO; DERWENT	2003/05/13 10:33
-	4487	(427/372.2[ccls] 427/374.1[ccls] 427/374.3[ccls] 427/384[ccls] 427/377[ccls] 427/379[ccls] 427/385.5[ccls] 427/388.1[ccls] 427/398.1[ccls] 427/398.5[ccls] 427/407.1[ccls] 427/409[ccls] 427/256[ccls] 427/258[ccls] 427/261[ccls] 427/270[ccls] 427/271[ccls] 427/287[ccls] 430/300[ccls] 430/302[ccls] 430/269[ccls] 430/270.1[ccls] 430/964[ccls] 430/944[ccls] 101/456[ccls] 101/459[ccls] 101/463.1[ccls] 101/467[ccls] 34/418[ccls] 34/419[ccls] 34/420[ccls] 34/421[ccls] 34/422[ccls] 34/423[ccls] 34/427[ccls] and (lithographic planographic off\$iset)	USPAT; EPO; JPO; DERWENT	2003/05/13 10:37
-	209	((427/372.2[ccls] 427/374.1[ccls] 427/374.3[ccls] 427/384[ccls] 427/377[ccls] 427/379[ccls] 427/385.5[ccls] 427/388.1[ccls] 427/398.1[ccls] 427/398.5[ccls] 427/407.1[ccls] 427/409[ccls] 427/256[ccls] 427/258[ccls] 427/261[ccls] 427/270[ccls] 427/271[ccls] 427/287[ccls] 430/300[ccls] 430/302[ccls] 430/269[ccls] 430/270.1[ccls] 430/964[ccls] 430/944[ccls] 101/456[ccls] 101/459[ccls] 101/463.1[ccls] 101/467[ccls] 34/418[ccls] 34/419[ccls] 34/420[ccls] 34/421[ccls] 34/422[ccls] 34/423[ccls] 34/427[ccls] and (lithographic planographic off\$iset)) and ((plate backing support) near3 (plural plurality multiple))	USPAT; EPO; JPO; DERWENT	2003/05/13 10:40
-	43	((427/372.2[ccls] 427/374.1[ccls] 427/374.3[ccls] 427/384[ccls] 427/377[ccls] 427/379[ccls] 427/385.5[ccls] 427/388.1[ccls] 427/398.1[ccls] 427/398.5[ccls] 427/407.1[ccls] 427/409[ccls] 427/256[ccls] 427/258[ccls] 427/261[ccls] 427/270[ccls] 427/271[ccls] 427/287[ccls] 430/300[ccls] 430/302[ccls] 430/269[ccls] 430/270.1[ccls] 430/964[ccls] 430/944[ccls] 101/456[ccls] 101/459[ccls] 101/463.1[ccls] 101/467[ccls] 34/418[ccls] 34/419[ccls] 34/420[ccls] 34/421[ccls] 34/422[ccls] 34/423[ccls] 34/427[ccls] and (lithographic planographic off\$iset)) and ((plate backing support) near3 (plural plurality multiple)) and ((convey conveyed (process\$3 near3 line) multiple)) and (lithographic planographic off\$iset)	USPAT; EPO; JPO; DERWENT	2003/05/13 12:49
-	0	507/912[pn] and (lithographic planographic off\$iset)	USPAT	2003/05/13 12:49